

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1. (Currently Amended)                      A device for carrying and fastening a robot, the device ~~having~~ comprising:

a bottom horizontal component, a vertical component and a top at least approximately horizontal component,

wherein the device has ~~is designed in a gallows shape having~~ a foot as the bottom horizontal component, a column, adjoining the foot, as the vertical component, and at least one cantilever arm, fastened to this column, as the top component for fastening the robot, the at least one cantilever arm being fastened to the column in a fixed position, and

wherein the device ~~consists at least partly of~~ includes a composite material, and  
wherein the column has at least one niche for accommodating components of control electronics and/or pneumatic components for the robot.

2. (Original)                      The device as claimed in claim 1, wherein the at least one cantilever arm is fastened solely to the column.

3. (Currently Amended)                      The device as claimed in claim 1, wherein the foot, the column and the at least one cantilever arm ~~consist at least partly of~~ each include a composite material.

4. (Currently Amended)            The device as claimed in claim 3, wherein the composite material is a cast mineral ~~containing~~ contains at least one additive which has an effect inhibiting microorganisms.

5. (Currently Amended)            The device as claimed in claim 1, wherein the at least one cantilever arm has a core ~~consisting of~~ including a composite material and an outer envelope ~~consisting of~~ including another material.

6. (Original)            The device as claimed in claim 1, wherein the at least one cantilever arm is designed as a solid body.

7. (Cancelled)

8. (Currently Amended)            The device as claimed in claim 1, wherein there are two cantilever arms which are arranged on the column at the same height, ~~[[but]]~~ and at a distance from one another, for accommodating the robot in ~~[[the]]~~ an intermediate space produced in between the cantilever arms.

9. (Original)            The device as claimed in claim 1, wherein the at least one cantilever arm is connected to the column by an adhesive.

10. (Currently Amended) The device as claimed in claim 1, wherein the foot and the at least one cantilever arm extend in ~~the same~~ a first direction away from the column and do not project beyond the column in ~~[[the]]~~ a direction opposite the first direction.

11. (Original) The device as claimed in claim 1, wherein the robot is a delta robot.

12. (Currently Amended) The device as claimed in claim 3, wherein the column and the one cantilever arm ~~consist at least partly of~~ each include a cast mineral.

13. (Currently Amended) The device as claimed in claim 5, wherein the outer envelope ~~consists of~~ includes high-grade steel.

14. (Original) The device as claimed in claim 9, wherein the at least one cantilever arm is connected to the column by a cast mineral.